

An Optimized Method to Obtain Human Biomonitoring Data of Al, Bi, Ce, Cr, Ge, La, Li, Nd, Pr, Ti, Te and Y in Whole Blood

Innocent Jayawardene¹, Kristin Macey¹, Jean-Francois Paradis², Stephane Belisle², Devika Poddalgoda¹, Sabit Cakmak³, Robert Dales³

1Existing Substances Risk Assessment Bureau, Health Canada, 2 Health Products Longueuil Laboratory, Regulatory Operations and Regions Branch, Health Canada, 1 Population Studies Division, Environmental Health Science and Research Bureau, Health Canada

Background

- The availability of biomonitoring data and its use in human health risk assessments have increased over the past 10 years. The use of human biomonitoring data allows for direct and more precise assessment of the distribution of exposure in a given population.
- North American population-level biomonitoring data for many of the remaining Canadian Chemical Management Plan assessment priorities are lacking.
- Integrated within the Canadian Health Measures Survey (CHMS), the biobank is a nationally representative cohort of biospecimens to be utilized in novel health research.

Objective

Develop an optimised method to obtain human biomonitoring data on priority metals and trace elements in whole blood biobank samples (elements are listed in the table below).

ICP-MS Agilent 7500-Operation Parameters RF Power: 1500 W Carrier gas/Auxiliary gas flow rate: 0.90 L/min

Plasma gas flow rate: 14.9 L/min Make-up (booster) gas flow rate: 0.26 L/min Nebulizer gas flow rate: 0.90 L/min Helium gas flow rate (collision cell): 6.2 ml/min Peristaltic pump flow rate:

ntegration time: 0.9 sec in standard mode, 4.5 sec in high flow He mode 103Rh, 115In, 159Tb, 187Re nternal standards:

Standard mode: 27Al, 209Bi, 140Ce, 7Li, 139La, 146Nd, 141Pr, 125Te and 89V Isotone used for qualification: Octopole reaction system (ORS): High flow He mode: 53Cr, 74Ge, 49Ti

53Cr [CIO,CIOH], 74Ge [FeO, corrected for Se74], 115In [115Sn] Polyatomic interferences


Introduction **Biomarker Selection**

- Whole blood is considered to be an acceptable matrix
- Whole blood measures concentrations of elements at the target site (internal dose) compared to urine.
- Comprises all of the blood components (e.g., proteins, erythrocytes, platelets) compared to serum or plasma. Sample Demographics

In Canada, general population biomonitoring data are collected since 2007, by the Canadian Health Measures Survey (CHMS), a national survey conducted by Statistics Canada in association with Health Canada and the Public Health Agency of Canada. Results are population weighted to represent 96.3% of the Canadian population, aged 3 to 79 years.

CHMS- Cycle 2 collection sites https://www.canada.ca/content/dam/hc-sc/migration/hc-sc/ewh-semt/alt formats/pdf/pubs/contaminants/frms-ecms-cycle/2/dms-ecms-cycle/2-eng.pdf			CHMS-Biobank (Available biospecimens at present) https://www.statcan.gc.ca/eng/survey/household/5071x				
Atlantic	St. John's, Newfoundland and Labrador , Colchester and Pictou counties, Nova Scotia	Matrix	Age range (years)	Sample size per survey cycle	Volume available		
		Serum	3 – 79	5700	0.5 ml		
			3 - 39	3500	0.5 ml		
Quebec	Laval, South Montérégie, Gaspésie, North Shore Montréal		6 – 79	5100	0.5 ml		
			12 - 79	4100	0.5, 1.0 ml		
			20 - 79	3100	0.5, 1.0 ml		
Ontario	Central and East Ottawa, South of Brantford, Southwest Toronto, East Toronto, Kingston, Oakville	Plasma	3 - 79	5700	0.5 ml		
			6 – 79	5100	0.5 ml		
			12 - 79	4100	0.5 ml		
Prairies	Edmonton-Alberta, Winnipeg- Manitoba, Calgary-Alberta	Whole blood	6 – 79	5100	1 ml		
			12 - 79	4100	1 ml		
British Colombia	Richmond, Central and East Kootenay, Coquitlam	Urine	3 – 79	5700	1.0, 2.0, 4.5 ml		
			6 – 79	5100	1.0, 4.5 ml		
		DNA	14 - 79	3700	1 μg		


Biobank access and project flow



Laboratory method

- Sample volume used: 200 μL of whole blood. Analysis Method QLA-MA-0062, optimized by the laborator Possibility of leaching/adsorption of metals from the associated materials during blood withdrawal and storage: Addressed by sequential testing of 2 control sets with de-ionized water and human blood on two types of storage tubes. The procedure from the withdrawal of the blood samples to storage and analysis were mimicked (using a butterfly needle, vacutainer, vials). Blood pool was obtained from Canadian Blood Services
- $Possible\ non-homogeneity\ of\ the\ samples\ during\ storage/transportation\ and\ possible\ contamination$ during analysis: Addressed by conducting accuracy, recovery, reproducibility and blank studies and necessary confirmatory analysis in each analytical batch throughout the project (1.5 years) using Blood reference materials/Control spiked blood samples and Method blanks.

Scheme for Leach testing



Results

Method reporting limits and QC/ QA of elements

Element	MRL (ug/L)	QC Material	QC Concentration	Correlation	Accuracy/	% CV
			(μg/L)	Coefficient (r)	recovery (%)	
Al (Aluminum)	8	SeroNorm L2	68.9	0.9994	96	6
Bi (Bismuth)	0.1	QMBQ1416	1.10	0.9989	92	3
Ce (Cerium)	0.05	QMBQ1416 spk	1.00	0.9998	100	3
		SeroNorm L2	0.086		105	6
Cr (Chromium)	0.7	QMBQ1416	3.21	0.9996	93	5
Ge (Germanium)	1	QMBQ1416 spk	1.00	0.9998	93	11
La (Lanthanum)	0.05	QMBQ1416 spk	1.00	0.9996	100	3
		SeroNorm L2	0.090		112	6
Li (Lithium)	0.4	QMBQ1416 spk	1.00	0.9997	94	11
Nd	0.05	QMBQ1416 spk	1.00	0.9998	100	4
(Neodymium)		SeroNorm L2	0.086		95	7
Pr	0.02	QMBQ1416 spk	1.00	0.9996	100	3
(Praseodymium)		SeroNorm L2	0.021	1	101	7
Te (Tellurium)	0.4	QMBQ1416	6.86	0.9993	91	7
Ti (Titanium)	10	SeroNorm L2	10.3	0.9956	98	10
Υ	0.06	QMBQ1416 spk	1.00	0.9996	99	3
(Yttrium)		SeroNorm L2	0.077	1	95	9

Recovery studies of QC materials tested throughout the project



on aged 3 to 79 years (n=5757)

Summary d	ata- whole b	lood elemental	concentrations (µg/	L) for the Canadian p	opulati
Element	MRL (µg/L)	% <mrl< th=""><th>50th percentile (95% CI)</th><th>95th percentile (95% CI)</th><th>➤ The</th></mrl<>	50th percentile (95% CI)	95th percentile (95% CI)	➤ The
Aluminum	8.0	97.08	<8.0	<8.0	blo
Bismuth	0.1	95.43	< 0.1	<0.1	1 1
Cerium	0.05	99.53	<0.05	< 0.05	> Acc
Chromium	0.7	96.63	< 0.7	<0.7	effe
Germanium	1.0	100	<1.0	<1.0	hur
Lanthanum	0.05	99.72	<0.05	<0.05	Usi
Lithium	0.4	33.58	0.47 (0.43-0.51)	1.3 (1.2 - 1.4)	rep
Neodymium	0.05	99.88	< 0.05	< 0.05	sub
raseodymium	0.02	99.91	< 0.02	<0.02	➤ Sor
Tellurium	0.4	100	<0.4	<0.4	tim
Titanium	10.0	99.97	<10.0	<10.0	ass
Yttrium	0.06	99.88	<0.06	<0.06	ass

- modified ICP-MS method to detect these metals in whole od samples gave reproducible results
- essing existing biobanks such as the CHMS are a costctive, time efficient way of obtaining biological samples for an biomonitoring data.
- ng the biobank, it was possible to obtain nationally esentative data from approximately 6000 Canadians on 12
- ne of these elements were measured in humans for the first filling an important data gap for human health risk

Discussion

- Resultant concentrations were expected to be at ont or poblevels. The MRIs of ICP-MS for the determination of Ri. Ce. Cr. La. Li. Nd. Pr. Te. G and Y are sufficiently. low. For Al and Ti, MRLs were higher than desired. In this multi-element analysis, given the diverse group of elements examined, instruments could not be optimized for all elements. Because Al is an ubiquitous element and Ti has inherent polyatomic interferences, ultra-low concentration analyses were not possible. High resolution instrumentation or ICP-MSMS equipped with reaction cell may have resulted in lower MRLs. However, this instrumentation was not available for this
 - project. Analysis by such instrumentation would have taken more time and therefore, would have been more expensive Recoveries were in an acceptable range of 70-130%; the majority were between 80-120%. The inter-assay CV% ranged from 3-11%. Accuracy and CV on the
- nce materials were very good (although SeroNorm concentration for Al was 10x the MRL).
- Results of confirmatory analyses gave Relative Standard Deviations (RSDs), less than or equal to 30%. Mostly, less than or equal to 15%.
- Leach testing showed no contaminations from the storage or associated materials used for analysis of Al. Bi. Ce. Cr. Ge. La. Li. Nd. Pr. Te. Ti and Y at the MRLs. The associated materials tested were made of plastic or glass except for the needles. Although significant contaminations have been reported in other studies for other elements from various associated materials, associated materials tested in this project were not found to contribute significantly to the overall concentration in elements that were analysed.

Conclusions

High confidence in biomarker data due to the rigor of the QC/QA method.

Y

- Leach testing did not identify any contamination for these elements at the MRLs.
- MRLs for Al and Ti were higher than desired. Multi-element analysis by ICP-MS is a suitable method for determination of many analytes in a large number of samples However, single quad ICP-MS has limitations, mainly related to polyatomic interferences in the analysis of bio fluids resulting in higher detection limits for these elements. Also, some elements such as aluminum are ubiquitous, ultra-low concentration analyses are difficult because of inadvertent contamination at the instrument, laboratory environment or at the sample collection level

Acknowledgements

This project was conducted using whole blood from the biobank of the CHMS cycle 2 (2009 to 2011), therefore this project would not be possible without the participants of the CHMS. Many thanks also to Statistics Canada (Joanne Boisjoli, Lois Fernandez, Jason Deguire, and Scott Mclean), Health Canada (Scott Hancock and Managers of Population Statistics Division), Marie-Pier Lafontaine, Noureen Lalji (Health Products Longueuil Laboratory), and Canadian Blood Services.